



504-362-0781 or 800-889-0781

2236 Manhattan Blvd. Harvey, LA 70058 Fax: 504-367-4216

Scaffolding with V-Lock


Made of high strength 1.69" steel tubing

Blue powder coat for durability

V-Lock provides secure attachment for cross braces



MASON FRAME
MF6H-5W-L5



WALK-THROUGH FRAME
TF6H-5W-L5

LADDER FRAME
LF5H-2W-L5

5' Wide Mason Frame Scaffolding					
Frame Part#	WxH	Lock Spacing	Weight	Section Part#	Weight
MF3H-5W-L5	5'x3'	2'	29	SS35	80
MF4H-5W-L5	5'x4'	3'	35	SS45	85
MF5H-5W-L5	5'x5'	4'	39	SS55	85
MF6H-5W-L5	5'x6'4"	4'	47	SS65	95
5' Wide Walk-through Frame Scaffolding					
Frame Part#	WxH	Lock Spacing	Weight	Section Part#	Weight
TF6H-5W-L5	5'x6'4"	4'	48	SS65W	95
2' Wide Ladder Frame Scaffolding					
Frame Part#	WxH	Lock Spacing	Weight	Section Part#	Weight
NF5H-2W-L5	2'x5'	4'	28	SS52	65
NF6H-2W-L5	2x6'4"	4'	32	SS62	75
* One scaffold section includes: (2) Frames, (2) Cross braces, (4) Collar oins, (4) Pig tail pins					