



504-362-0781 or 800-889-0781

2236 Manhattan Blvd. Harvey, LA 70058 Fax: 504-367-4216

Blue Polypro Mooring Lines 8-Braid

Poly-Dan Blue Mooring Rope

Introducing our new improved mooring lines. Poly Danline Blue Mooring Rope is manufactured from high tenacity polypropylene yarns. It offers better breaking strength compared to standard poly monofilament 8-strand rope in being used for mooring, anchoring lines.

Specification of Poly Dan Blue Mooring Line

*** Standard Coil Length: 720 Ft w/6 Ft Polyester Webbing Covered Eye Each End**

<p>◆ Material *****</p> <p>Polypropylene</p> <p>◆ Melting Point ***** 165°C</p> <p>◆ Specific Gravity ***** 0.91 (float)</p> <p>◆ Elongation at break * 20~22%</p> <p>◆ Water Absorption *** None</p> <p>Characteristics</p> <p>*High strength compare to standard</p> <p>Poly Monofilament rope</p> <p>◆◆*Float, doesn't absorb water</p> <p>*Easy handling</p> <p>*Good abrasion resistance</p> <p>*Color: Blue</p> <p>Applications</p> <p>*Ship Mooring Lines, Towing Lines, Anchor Lines</p> <p>◆ ◆ ◆◆</p>	Diameter		Circumference		Weight	Breaking Strength
	INCH	MM	INCH	MM	(LBS/100FT)	MIN (LBS)
	2	48	6	144	69	67,200
	2-1/4	56	7	168	92	78,000
	2-1/2	60	7-1/2	180	107	91,500
	2-5/8	64	8	192	120	103,500
	3	72	9	216	153	135,000
	3-1/4	80	10	240	190	171,000
	4	96	12	288	275	243,000


